EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	10/519858	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 13:54
S2	26	@ad<"20030115" and (RFID and waveform). bsum.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 13:57
S3	1	@ad<"20030115" and (RFID and (periodic with waveform)).bsum.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 14:00
S4	103	@ad<"20030115" and (RFID and (different with waveform))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 14:01
S5	97	@ad<"20030115" and (RFID.bsum. and (different with waveform))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 14:00
S6	1	@ad<"20030115" and (RFID and (different with waveform)).bsum.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/18 14:03
S7	1	(US-20020152044-$).did.	US-PGPUB	OR	ON	2007/03/09 15:09
S9	1	S7 and (RFID same clock)	US-PGPUB	OR	ON	2007/03/09 15:10
S10	1	S7 and (synchroniz$5 near7 clock)	US-PGPUB	OR	ON	2007/03/09 15:59

S11	0	S7 and (clock near2 information)	US-PGPUB	OR	ON	2007/03/09 15:12
S12	1	S7 and (clock with tag)	US-PGPUB	OR	ON	2007/03/09 15:13
S13	1	S7 and (receiv$3 with (clock tim$3))	US-PGPUB	OR	ON	2007/03/09 15:13
S14	1	S7 and (generat$3 near7 clock)	US-PGPUB	OR	ON	2007/03/09 15:59
S15	796	@ad<"20030115" and (RFID (radio near2 frequency)) and (waveform with design$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/18 14:03
S16	19	@ad<"20030115" and (RFID (radio near2 frequency)) and (waveform with design$3 with periodic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/18 14:04
S17	25	@ad<"20030115" and (RFID (radio near2 frequency)) and (representation with any with waveform)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/18 14:06
S21	17	@ad<"20030115" and (RFID (radio near2 frequency)) and ((waveform near3 (one zero)) same ((cycle duty) near time))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/18 14:10
S22	0	@ad<"20030115" and (RFID (radio near2 frequency)) and (waveform near3 (one zero) near3 design near2 any)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/18 14:11
S23	1	@ad<"20030115" and (RFID (radio near2 frequency)) and (waveform near3 design near2 any)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/18 14:12
S24	91	@ad<"20030115" and (RFID (radio near2 frequency)) and ((zero one) near3 design near2 any)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/18 14:13

S25	0	@ad<"20030115" and (RFID (radio near2 frequency)) and (((zero one) near3 design near2 any) same waveform)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/18 14:28
S26	94	@ad<"20030115" and (RFID (radio near2 frequency)) and (design near2 waveform)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/18 14:13
S27	2	@ad<"20030115" and (RFID (radio near2 frequency)) and ((design near2 waveform) same any)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/18 14:13
S28	1	@ad<"20030115" and (RFID (radio near2 frequency)) and ((zero one) near3 design near2 waveform)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/18 14:29
S29	118	@ad<"20030115" and (RFID (radio near2 frequency)) and ((zero one) near3 represent$5 near2 waveform)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/18 14:30
S31	4	S29 and RFID	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/18 14:30
S32	118	@ad<"20030115" and (RFID (radio near2 frequency)) and (waveform near third)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 15:28
S33	0	@ad<"20030115" and (RFID (radio near2 frequency)) and (waveform near third near4 multiple)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 15:28

S34	71	@ad<"20030115" and (RFID (radio near2 frequency)) and (third adj waveform)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 15:29
S35	14	@ad<"20030115" and RFID.bsum. and (waveform near5 cod$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 15:30
S36	78	@ad<"20030115" and RFID.bsum. and ((waveform cod$3) near3 (represent$3 indicat$3) near3 ("2" two))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 15:55
S37	0	@ad<"20030115" and RFID.bsum. and ((waveform cod$3) near3 any near3 representation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:01
S38	90	@ad<"20030115" and RFID.bsum. and ((waveform cod$3) near4 representation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:01
S39	13	S38 not S36	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:02
S40	7	@ad<"20030115" and RFID.bsum. and (any near4 representation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:04
S41	2	@ad<"20030115" and RFID.bsum. and ((waveform cod$3) near4 succession)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:09

S42	2383	@ad<"20030115" and ((waveform cod$3) near4 succession) not S41	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:11
S43	173	@ad<"20030115" and ((waveform cod$3) near4 represent$3 near4 succession) not S41	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:11
S44	159	@ad<"20030115" and ((waveform cod$3) near3 (represent$3 indicat$3) near3 succession) not S41	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:12
S45	0	S44 and RFID	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:12
S46	0	@ad<"20030115" and (third near (waveform cod $3) near3 (represent$3 indicat$3) near3 succession)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:13
S47	1	@ad<"20030115" and (third near (waveform cod $3) near4 succession)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:13
S48	142	@ad<"20030115" and ((represent$3 indicat$3) near3 (succession near2 (one "1")))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:15
S49	618	@ad<"20030115" and ((waveform cod$3) near3 (represent$3 indicat$3) near3 (succession continuous$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:16

S50	0	@ad<"20030115" and (third near2 (waveform cod$3) near3 (represent $3 indicat$3) near3 (succession continuous $4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:16
S51	0	S49 and RFID	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:16
S52	41	@ad<"20030115" and (third near2 (waveform cod$3) near5 (succession continuous$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:22
S53	0	@ad<"20030115" and RFID.bsum. and ((waveform cod$3) near4 any near4 (meaning representation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:26
S54	32	@ad<"20030115" and RFID.bsum. and ((waveform cod$3) near4 "11")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:44
S55	0	@ad<"20030115" and RFID.bsum. and (succession near ("1" one))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:48
S56	1	@ad<"20030115" and RFID.bsum. and (line adj code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:49
S57	1	("7391329").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/10 16:49

S58	44	("20020167405" | "20030174049" | "20050099269" | "20050099270" | "20060261952" | "20060261953" | "20060261954" | "20060261956" | "3938316" | "4454483" | "5117756" | "5438694" | "5565858" | "5583819" | "5649295" | "5649296" | "5686902" | "5701127" | "5751220" | "5867535" | "5912632" | "5940006" | "5952922" | "6023198" | "6043748" | "6046683" | "6064320" | "6127928" | "6130623" | "6243013" | "6259991" | "6356161" | "6388532" | "6404325" | "6472943" | "6639509" | "6664860" | "6784789" | "6917291" | "7026935" | "7120550" | "7253719" | "7283037" | "7304579").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/10 16:51
S59	32	S58 and @ad<"20030115"	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/10 16:51
S60	8	S59 and waveform	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/10 16:52
S61	299	@ad<"20030115" and RFID.bsum. and ((waveform cod$3) same "11")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:54
S62	173	@ad<"20030115" and RFID.bsum. and ((waveform cod$3) with "11")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:54
S63	2205	@ad<"20030115" and "341"/$.ccls. and ((waveform cod$3) near7 "11")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:58

S64	215	@ad<"20030115" and "341"/$.ccls. and ((waveform cod$3) near7 succession)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:58
S65	20	@ad<"20030115" and "341"/$.ccls. and (waveform near7 succession)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:59
S66	1	@ad<"20030115" and "341"/$.ccls. and (waveform near3 represent$5 near4 succession)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 17:03
S67	12	@ad<"20030115" and "341"/$.ccls. and (waveform near5 succession)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 17:04
S68	0	@ad<"20030115" and RFID.bsum. and (waveform near5 any near4 (represent$5 meaning indicat$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 17:20
S69	143	@ad<"20030115" and coding same (consecutive adj bit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/20 09:55
S70	6	@ad<"20030115" and coding same (multiple adj bit) near (represent$5 correspond$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/20 09:55
S71	7	@ad<"20030115" and (coding waveform) near4 (logic adj ("11" "00"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/20 10:01

S73	16	@ad<"20030115" and (pattern coding waveform) near4 (logic near (duplicate multiple consecutive))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/20 10:03
S74	0	@ad<"20030115" and (coding near2 baseband near4 user near2 preference)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/20 11:21
S75	0	@ad<"20030115" and (coding near2 baseband near4 preference)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/20 11:22
S76	0	@ad<"20030115" and (coding near2 pattern near4 preference)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/20 11:22
S77	56	@ad<"20030115" and (coding near2 pattern near4 user)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/20 11:22
S78	3450	@ad<"20030115" and (cod$3 near3 generat$3 near4 user)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/20 11:24
S79	6	@ad<"20030115" and (cod$3 near pattern near3 generat$3 near4 user)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/20 11:24
S80	0	@ad<"20030115" and null near2 (logic near (duplicate multiple consecutive) near zero)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/20 11:49

S81	5	@ad<"20030115" and null near2 (duplicate multiple consecutive) near zero	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/20 11:49
S82	2	@ad<"20030115" and (RFID same different near2 coding)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/20 16:42
S83	8	@ad<"20030115" and (waveform near2 (represent$3 replac$3) near2 consecutive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/11 16:57
S84	2	@ad<"20030115" and waveform near3 (represent$3 replac$3) near2 (consecutive adj (logic one zero))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/11 16:59
S85	0	@ad<"20030115" and (third adj waveform) near3 ((consecutive multiple duplicate) near (logic zero one))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/11 17:06
S86	86	@ad<"20030115" and waveform near4 ((consecutive multiple duplicate) near (logic zero one))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/11 17:07
S87	10	S86 and ("455"/$ "370"/$ "375"/$ "341"/$).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/11 17:09
S88	0	@ad<"20030115" and (SYN SYNC synchroniz$5) near2 waveform near4 (consecutive adj (logic zero one))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/11 17:16

S89	0	@ad<"20030115" and (third adj logic) near3 (consecutive adj logic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/11 17:18
S90	0	@ad<"20030115" and (third adj logic) near3 (consecutive adj2 logic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/11 17:18
S91	6	@ad<"20030115" and (third) near3 (consecutive adj2 logic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/11 17:18

1/ 12/ 2010 12:14:45 PM
C:\ Documents and Settings\ zlu\ My Documents\ EAST\ Workspaces\ 10519858.wsp